



Lenovo ThinkCentre A58 7515 - Tower - 1 x P E6300

2.8 GHz –Intel Dual Core Processor
RAM 2 GB –
HDD 1 x 250 GB –
DVD-Writer –
GMA X4500 –
Gigabit Ethernet –
Windows 7 Pro * downgraded to Windows XP Pro **\$599.00**

LCD display - Lenovo L215 - LCD display – TFT - 21.5" – widescreen - 1920 x 1080 / 60 Hz - 300
cd/m2 –
1000:1 - 5 ms - 0.248 mm
DVI-D,
VGA – high glos * **\$199.00**

Lenovo ThinkCentre A58 7515 - P E6300 2.8 GHz

Form Factor Tower
Dimensions (WxDxH) 6.9 in x 17.4 in x 16.2 in
Weight 24.7 lbs
Processor 1 x Intel Pentium E6300 / 2.8 GHz (Dual-Core)
Processor Main Features Intel Extended Memory 64 Technology, Intel Execute Disable Bit, Enhanced Intel
Cache Memory 2 MB L2 cache
Cache Per Processor 2 MB
RAM 2 GB (installed) / 4 GB (max) - DDR2 SDRAM - non-ECC - 800 MHz - PC2-6400
Storage Controller Serial ATA (Serial ATA-300)
Hard Drive 1 x 250 GB - standard - Serial ATA-300
Optical Storage DVD-Writer
Graphics Controller Intel GMA X4500 Dynamic Video Memory Technology 5.0
Audio Output Sound card
Networking Network adapter - Ethernet, Fast Ethernet, Gigabit Ethernet
Power AC 120/230 V (50/60 Hz)
OS Provided Microsoft Windows 7 Professional / XP Professional downgrade
OS Preinstalled Windows XP
Microsoft Office Ready Includes a preinstalled image of select 2007 Microsoft Office suites. Purchase a
Medialess License Kit (MLK) to activate the software.
Manufacturer Warranty 1 year warranty - on-site

Product Form Factor Tower

Built-in Devices Speaker

Width 6.9 in

Depth 17.4 in

Height 16.2 in

Weight 24.7 lbs

Color Business black

Localization English

Processor

Type Intel Pentium E6300 / 2.8 GHz

Multi-Core Technology Dual-Core

64-bit Computing Yes

Installed Qty 1

Max Supported Qty 1

Processor Main Features Intel Extended Memory 64 Technology, Intel Execute Disable Bit, Enhanced Intel

SpeedStep Technology

Cache Memory

Type L2 cache

Installed Size 2 MB

Cache Per Processor 2 MB

Mainboard

Chipset Type Intel G41 Express

Data Bus Speed 1066 MHz

RAM

Installed Size 2 GB / 4 GB (max)

Technology DDR2 SDRAM - non-ECC

Memory Speed 800 MHz

Memory Specification Compliance PC2-6400

Form Factor DIMM 240-pin

Features Dual channel memory architecture

Configuration Features 1 x 2 GB

Storage Controller

Type 1 x Serial ATA - integrated

Controller Interface Type Serial ATA-300

Channel Qty 4

Storage

Hard Drive 1 x 250 GB - standard - Serial ATA-300 - 7200 rpm

Optical Storage

Type DVD-Writer - Serial ATA

Monitor

Monitor Type None.

Graphics Controller

Type Integrated

Graphics Processor / Vendor Intel GMA X4500 Dynamic Video Memory Technology 5.0

Audio Output

Type Sound card - integrated

Compliant Standards High Definition Audio

Input Device

Type Mouse, keyboard

Keyboard

Keyboard Name Preferred Pro USB

Interface USB

Mouse

Technology Optical

Interface USB

Features Scroll

Networking

Networking Network adapter - integrated

Ethernet Controller(s) Marvell Yukon 88E8057

Data Link Protocol Ethernet, Fast Ethernet, Gigabit Ethernet

Remote Management Protocol DMI 2.0, ASF 2.0

Features Wake on LAN (WoL), ACPI support

Compliant Standards IEEE 802.3

Expansion / Connectivity

Expansion Bays Total (Free) 2 (1) x front accessible - 5.25" x 1/2H

2 (1) x internal - 3.5" x 1/3H

1 (1) x front accessible - 3.5" x 1/6H

Expansion Slots Total (Free) 2 (1) x memory - DIMM 240-pin

1 (0) x processor - LGA775 Socket

1 (1) x PCI Express x16 - half-length, full-height

1 (1) x PCI Express x1 - half-length, full-height

2 (2) x PCI - half-length, full-height

Interfaces 6 x Hi-Speed USB - 4 pin USB Type A (2 in front)

2 x microphone - input - mini-phone stereo 3.5 mm (1 in front)

1 x headphones - output - mini-phone stereo 3.5 mm (1 in front)

1 x serial - RS-232 - 9 pin D-Sub (DB-9)

1 x network - Ethernet 10Base-T/100Base-TX/1000Base-T - RJ-45

1 x display / video - VGA - 15 pin HD D-Sub (HD-15)

1 x audio - line-in - mini-phone stereo 3.5 mm

1 x audio - line-out - mini-phone stereo 3.5 mm

1 x parallel - IEEE 1284 (EPP/ECP) - 25 pin D-Sub (DB-25)

1 x keyboard - generic - 6 pin mini-DIN (PS/2 style)

1 x mouse - generic - 6 pin mini-DIN (PS/2 style)

Miscellaneous

Features Security lock slot (cable lock sold separately), administrator password, hard drive password, power-on password, boot without keyboard or mouse, serial port I/O control, USB port control, U-Bolt anchoring, boot sequence control, chassis intrusion detection

Compliant Standards CE, UL, VCCI, C-Tick, GOST, BSMI CNS 13438 Class B, cUL, GS, NOM, SASO, CB, FCC Part 15 B, CCC, EMC, RoHS, ACPI 2.3, WEEE, ACA, JEITA, S Mark, MCI

Manufacturer Selling Program TopSeller

Power

Device Type Power supply

Voltage Required AC 120/230 V (50/60 Hz)

Power Provided 280 Watt

Operating System / Software

OS Provided Microsoft Windows 7 Professional / XP Professional downgrade

OS Preinstalled Windows XP

Microsoft Office Ready Includes a preinstalled image of select 2007 Microsoft Office suites. Purchase a Medialess License Kit (MLK) to activate the software.

Software ThinkVantage Power Manager, Lenovo System Toolbox, ThinkVantage Rescue and Recovery, Adobe Reader, ThinkVantage System Update, Roxio My DVD, Lenovo Care, Lenovo Password Manager, Windows Live Toolbar, Microsoft Office 2007 (60 days trial), Roxio Creator Small Business Edition, Corel WinDVD, McAfee VirusScan Plus (30 days of virus definitions)

Manufacturer Warranty

Service & Support 1 year warranty

Service & Support Details Limited warranty - parts and labor - 1 year - on-site - response time: next business day

*** Prices are estimates and are subject to changes without notice. Contact the Integrated Systems sales team for a custom quotation**